





ALLTHREAD - DIN 975
METRIC COARSE
GRADE
304/A2
316/A4
DIAMETER

	Part No.	PKT Qty	Part No.	PKT Qty
M3	16126	•	5135	•
M4	6596	•	5136	•
M5	3214	•	5147	•
M6	3215	•	5148	•
M8	3216	•	5149	•
M10	3217	•	5150	•
M12	3219	•	5151	1
M14			5152	1
M16	3222	1	5153	1
M18			19310	1
M20	3223	1	5154	1
M22			9581	1
M24	3224	1	5155	1
M27			30140	1
M30			5156	1
M36			15701	1

PRICES ARE FOR 1 METER LENGTHS

• PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

2007

STAINLESS FASTENERS PRODUCT CATALOGUE

PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PRICE BREAKDOWN

ABN 96 118 412 892

COPYRIGHT BY JAMES GLEN PTY LTD

THE BEST DESERVES THE BEST

ALLTHREAD - IFI 136

UNC

GRADE

304/A2

316/A4

DIAMETER

	Part No.	PKT Qty	Part No.	PKT Qty
10-24 (3/16)	5067	•	5075	1
1/4	5068	•	5076	•
5/16	5069	•	5077	•
3/8	5070	•	5078	•
7/16			5079	1
1/2	14134	1	2724	1
5/8	5071	1	5080	1
3/4	5072	1	5611	1
7/8	5073	1	5082	1
1	5074	1	5083	1
1.1/8			5084	1
1.1/4			5085	1
1.1/2			5086	1

PRICES ARE FOR 36 INCH LENGTHS

UNF

GRADE

304/A2

DIAMETER

	Part No.	PKT Qty
10-32	14557	•
1/4	7087	•
5/16	7088	1
3/8	7089	1
7/16	15212	1
1/2	7090	1
5/8	14838	1
3/4	14837	1

PRICES ARE FOR 36 INCH LENGTHS

BSW

GRADE

304/A2

316/A4

DIAMETER

	Part No.	PKT Qty	Part No.	PKT Qty
1/2	1795	•	2723	1

PRICES ARE FOR 36 INCH LENGTHS

• PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

ENGINEERS STUDS - OLD STANDARD B.S.1083

DIAMETER	M8	M10
GRADE	316/A4	316/A4

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
30	16175	50		
40	16177	50	4518	50
45	30216	50		
50			4519	50

DIAMETER	M12	M16
GRADE	316/A4	316/A4

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
40	4521	25		
45	30845	25		
50	4522	25	4524	25
55	30846	25	30217	25
60	4523	25	4525	25
65			5060	25
80			4526	25

DIAMETER	M20
GRADE	316/A4

LENGTH

	Part No.	PKT Qty
70	30453	10


Studs - Old Standard B.S.1083

This Standard provides that the length of the Metal or Stud End thread shall be equal to the Stud Diameter. One half of the diameter is left plain and the balance screwed.

SPECIFICATION B.S.1083

ENGINEERS STUDS - OLD STANDARD B.S.1083

DIAMETER	5/16 BSW	3/8 BSW
GRADE	316/A4	316/A4

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
1.1/2	16194	50	2972	50
1.3/4			2973	50
2	16195	50	2974	50
2.1/2			2976	50

DIAMETER	1/2 BSW	5/8 BSW
GRADE	316/A4	316/A4

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
1.3/4	2980	25		
2	2981	25	2985	25
2.1/4				
2.1/2			2987	25
3			2988	25



E' TYPE CIRCLIPS

SHAFT SIZE


GRADE

304/A2


304/A2

	Groove	Thickness	Part No.	PKT Qty	Groove	Thickness	Part No.	PKT Qty
1~1.4	0.8	0.2	16457	●				
1.4~2	1.2	0.3	16458	●				
2~2.5	1.5	0.4	16459	●				
2.5~3.2	2.0	0.4	15943	●				
3~4					2.3	0.4	5011	●
3.2~4	2.5	0.4	16460	●				
4~5	3.0	0.6	5008	●				
4.5~6					3.0	0.5	5260	●
5~7	4.0	0.6	5009	●				
5~7					3.6	0.5	5021	●
6~8	5.0	0.6	5101	●	4.0	0.6	5014	●
7~9	6.0	0.8	6370	●				
7~9					6.0	0.6	5016	100
8~11	7.0	0.8	6371	100	7.0	0.9	5017	100
9~12	8.0	0.8	6372	50	8.0	1.0	5018	50
10~14	9.0	0.8	6373	50	9.0	1.0	5022	50
11~15	10.0	1.0	6374	50				
13~18	12.0	1.0	15944	25	12.0	1.0	5019	25
16~24	15.0	1.5	15942	25				


E' TYPE CIRCLIPS



INTERNAL CIRCLIPS



EXTERNAL CIRCLIPS



● PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

INTERNAL AND EXTERNAL CIRCLIPS

SHAFT SIZE

INTERNAL					EXTERNAL			
304/A2					304/A2			
GRADE	Groove	Thickness	Part No.	PKT Qty	Groove	Thickness	Part No.	PKT Qty
10	10.4	1.0	4990	50	9.6	1.0	4965	50
							6549	50
12	12.5	1.0	4991	50	11.5	1.0	4968	50
13	13.6	1.0	4992	50	12.4	1.0	4969	50
14	14.6	1.0			13.4	1.0	4970	50
15	15.7	1.0	15949	50	14.3	1.0	15964	50
16	16.8	1.0	4994	50	15.2	1.0	4971	50
17	17.8	1.0			16.2	1.0	4972	50
18	19.0	1.0	6622	50	17.0	1.2	6345	50
19	20.0	1.0	4995	50	18.0	1.2	4973	50
20	21.0	1.0	4996	50	19.0	1.2	4974	50
21	22.0	1.0	4997	25	20.0	1.2		
22	23.0	1.0	4998	25	21.0	1.2	4975	25
24	25.2	1.2			22.9	1.2	4976	25
25	26.2	1.2	5000	25	23.9	1.2	4977	25
26	27.2	1.2	7424	25	24.9	1.2		
28	29.4	1.2	5001	25	26.9	1.6	4978	25
30	31.4	1.2	5002	10	28.6	1.6	4979	10
32	33.7	1.2	5003	10	30.3	1.6	4980	10
34	35.7	1.6	5004	10	32.3	1.6		
35	37.0	1.6	15951	10	33.0	1.6	4981	10
36	38.0	1.6			34.0	1.8	4982	10
37	39.0	1.6	5657	10				
38	40.0	1.6	5005	10				
40	42.5	1.8	5006	10	38.0	1.8	4984	10
42	44.5	1.8	5007	5	39.5	1.8	4985	5
45	47.5	1.8			42.5	1.8	4986	5
47	49.5	1.8	14111	5				
50	53.0	2.0			47.0	2.0	4988	5
52	55.0	2.0	6547	5	49.0	2.0	4989	5
62	65.0	2.0	15956	5	59.0	2.0		
125	129.0	4.0			121.0	4.0	5816	1

STAINLESSFASTENERS PRODUCTCATALOGUE2007

SPLIT PINS - DIN 94



LENGTH

LENGTH

LENGTH

DIAMETER	M0.8		M1		M1.2	
GRADE	304/A2		304/A2		304/A2	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
10	19571	•	9379	•		
12	19572	•	19538	•		
14						
16	19573	•	6478	•	19786	200
20	19574	200	19539	200		
25					19788	200
32	19576	200	9383	200		

DIAMETER	M1.6		M1.6		M2	
GRADE	304/A2		316/A4		304/A2	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
10	5158	•			9384	•
12	19540	•	19516	200	9385	•
14	19373	•				
16	33696	•			9386	•
20	5640	•	19517	200	19541	•
25	5161	•			9388	•
32	5162	•			9389	200
40	5641	•			19542	200

DIAMETER	M2.5		M2.5		M3.2		M3.2	
GRADE	304/A2		316/A4		304/A2		316/A4	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
10					5170	200		
12	19543	200	19518	200	33537	200		
16	30155	200			33538	200		
20	5642	200	19519	200	5644	200	19522	200
25	5166	200	19520	200	5172	200	19523	200
32	5167	200			5173	200	19524	200
36	19376	200			19374	200		
40	5643	200	19521	200	5645	200	19525	200
45					5175	200		
50	5169	200			5176	200	19526	200
63					5177	200		
80					30926	200		

• PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

SPLIT PINS - DIN 94

DIAMETER	M4		M4		M5		M5	
GRADE	304/A2		316/A4		304/A2		316/A4	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
20	5647	100			5649	100		
25	5179	100	19527	100	5185	100	19531	100
32	5180	100	19528	100	5186	100	19532	100
36	19375	100			31203	100		
40	5648	100	19529	100	5650	100	19533	100
45	5182	100			5651	100		
50	5183	100	19530	100	5188	100	19534	100
63	19582	100			5189	100	19535	100
71					19544	100		
80					4352	100		
90					4353	100		
100					19790	100		

M6.3				
GRADE	304/A2		316/A4	
	Part No.	PKT Qty	Part No.	PKT Qty
25	5191	100		
32	5192	100	31206	100
36				
40	5653	100	19580	100
45	5194	100		
50	5195	100	19581	100
63	5196	100	19537	100
80	19546	100	31207	100
100	9434	100		

M8		M10		
GRADE	304/A2		304/A2	
	Part No.	PKT Qty	Part No.	PKT Qty
50	4355	50	4357	50
63	19792	50	19549	50
80	7597	50	16688	50
90	16576	50	19794	50
100	4356	50	4359	50

GLENLOCH SKEW PROOF ROLLED WAVE SPRING PINS

DIAMETER	M1.5	M2
GRADE	420	420

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
6	3240	200	3687	200
8			19381	200
10	3242	200	3689	200
12	3246	200	3691	200
16	3248	200	3692	200
20			3694	200

DIAMETER	M2.5	M3
GRADE	420	420

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
10	3696	•	3704	200
12	3697	200	3706	200
16	3699	200	3707	200
20	3701	200	3709	200
22	3702	200	3711	200
25	3703	200	3712	200

DIAMETER	M3.5	M4
GRADE	420	420

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
10	3713	200		
12	3714	200		
16	3715	200	3719	100
20	3716	200	3720	100
22	3717	200		
25	3718	200	3721	100
30			14913	100

DIAMETER	M5	M6
GRADE	420	420

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
12			33930	100
16	3723	100	4427	100
20	3724	100	3729	100
25	3725	100	3730	100
30	14914	100	14915	100
40	3728	100	3733	100
50	16587	100	3734	100

• PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

GLENLOCH SKEW PROOF ROLLED WAVE SPRING PINS

DIAMETER	M8		M10	
GRADE	420		420	
	Part No.	PKT Qty	Part No.	PKT Qty
20	9645	50		
25	16285	50		
30	5063	50		
40	16588	50	9277	50
50	31229	50		
60	30146	50		
70	8872	50		

WING SCREWS

DIAMETER		M5		M6		M8	
GRADE		304/A2		304/A2		304/A2	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty	
12			31077	100			
16	31076	100	31078	100			
20	19413	100	19415	100	31079	50	
25	19414	100	19416	100	19417	50	
30			30366	100	19418	50	

THUMB SCREWS

1/4 UNC		
GRADE	304/A2	
	Part No.	PKT Qty
1/2	30096	100
3/4	14540	100

STAINLESSFASTENERS PRODUCTCATALOGUE2007

ROLLED SPRING PINS

LENGTH

DIAMETER	1/16		3/32		1/8	
GRADE	420		420		420	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
3/16	3462	•				
1/4	3463	•	7031	•	3482	•
5/16	7158	•	4649	•		
3/8	3464	200	3471	200	3483	200
1/2	3466	•	3477	200	3484	200
5/8	3467	200	3478	•	3485	200
3/4	3468	•	3479	•	3486	200
7/8			3480	200	3487	200
1	3470	200	3481	200	3488	200
1.1/2					3490	200
2					3491	200

LENGTH

DIAMETER	5/32		3/16		1/4	
GRADE	420		420		420	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
3/8	14561	•	16401	100		
7/16	4070	•				
1/2						
5/8	3492	•	3497	100	19397	100
3/4	3493	•	3498	100	3504	100
7/8	3494	100				
1	3495	100	3499	100	3505	100
1.1/4	3496	100	3500	100	3506	100
1.1/2	16584	100	3501	100	3507	100
1.3/4					3508	100
2			3502	100	3509	100
2.1/2			3503	100	3510	100

LENGTH

DIAMETER	5/16		3/8		1/2	
GRADE	420		420		420	
	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
3/4	15883	50				
1	13764	50				
1.1/4	13765	50				
1.1/2	13766	50	4651	50		
1.3/4			9545	50		
2	13767	50				
2.1/4					9546	25
2.1/2					9544	25
3	3511	50	3512	50		
3.1/2					9547	25

• PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

FLAT HEAD ANNULAR RING DIAMOND POINT NAILS

DIAMETER	M2	M2.8	M3.15
NEAREST BGW	14	12	10
GRADE	304/A2	304/A2	304/A2

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty	Part No.	PKT Qty
25	31012	1kg	5320	1kg		
30			10681	1kg		
40			5095	1kg		
50					5093	1kg

DIAMETER	M3.75	M4
NEAREST BGW	9	8
GRADE	304/A2	304/A2

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
40	5090	1kg		
65	5091	1kg		
75	5092	1kg		
90			5337	1kg

HEXAGON SOCKET PRESSURE PLUG

BSPT
GRADE

LENGTH


	Part No.	PKT Qty
1/8	14754	1
1/4	14755	1
3/8	14756	1
1/2	14757	1

HUMP BACK SPLIT PINS

GRADE

LENGTH

	Part No.	PKT Qty
HP/A	3374	200
HP/B	3375	200



● PLEASE REFER TO BOOKLET AT BACK OF THE CATALOGUE FOR PACK QUANTITY.

STAINLESSFASTENERS PRODUCTCATALOGUE2007

U DRIVE SCREWS - ANSI B18.6.4

DIAMETER 00G 0G

GRADE 304/A2 304/A2

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
1/8	1766	200	1771	200
3/16	1767	200	1772	200
1/4	1769	200	1773	200
3/8			1775	200

2G

GRADE 304/A2

LENGTH

	Part No.	PKT Qty
1/8	1776	200
3/16	1777	200
1/4	1778	200
5/16	1779	200

DIAMETER 4G 6G

GRADE 304/A2 304/A2

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
3/16	1780	200		
1/4	1781	200	1784	200
5/16	1782	200	1785	200
3/8	1783	200	1786	200
1/2			16578	200

DIAMETER 8G 10G

GRADE 304/A2 304/A2

LENGTH

	Part No.	PKT Qty	Part No.	PKT Qty
3/8	33983	200	1788	200
1/2	1787	200	31068	200




SNAP PINS

GRADE

304/A2


SHAFT SIZE

	Mfr. P/N	Part No.	PKT Qty
6	31060	30057	100
8	31080	16427	100
10	31100	16429	100
12	31120	16430	100
16	31160	16432	100



DIMENSIONS IN MM

$r \approx 1.5d$



PART NUMBER		d		d2	e	R	h	S	L	d1	do
31040	4	1	±0.02	3	6	2	1	0.5	16.3	4	1.2
31050	5				6.5	2.5	1.5		17.9	5	
31060	6	1.2	±0.02	3.6	7.8	3	1.8	0.6	21.2	6	1.5
31070	(7)				8.3	3.5	2.3		22.8	7	
31080	8	1.6		4.8	10.4	4	2.4	0.8	27.7	8	1.9
31090	(9)				10.9	4.5	2.9		29.3	9	
31100	10	1.8		5.4	12.2	5	3.2	0.9	32.6	10	2.2
31120	12				13.2	6	4.2		35.8	12	
31140	14	2		6	15	7	5	1	40.6	14	2.4
31160	16				16	8	6		43.8	16	

PUSH NUT

GRADE

304/A2

SHAFT SIZE

	Mfr. P/N	Part No.	PKT Qty
6	33060	16425	100
8	33080	30059	100
10	33100	16648	100