



WIRE SUPPORT D-RING, SS304 OR SS316.




Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	D mm
39388	39389	8.00	66.50	43.00	72.00	9.60

WIRE SUPPORT THIMBLE, SS304 OR SS316.



Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	D mm
39390	39391	35.00	66.50	59.00	19.00	8.00

DOUBLE LAYER DEE RING WELDED, SS304 OR SS316.




Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39392	39397	5.00	25.00	10.00	45.00	250	1000
39393	39398	6.00	25.00	10.00	45.00	450	1800
39394	39399	6.00	28.00	10.00	50.00	450	1800
39395	39400	8.00	25.00	10.00	45.00	700	2800
39396	39401	8.00	28.00	10.00	50.00	700	2800

TRIANGLE RING WELDED, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39416	39422	4.00	60°	30.00	150	600
39417	39423	5.00	60°	20.00	225	900
39418	39424	5.00	60°	30.00	325	1300
39419	39425	5.00	60°	40.00	325	1300
40968	40960	5.00	60°	45.00	325	1300
39420	39426	6.00	60°	40.00	500	2000
40254	40259	6.00	60°	45.00	500	2000
31274	39427	6.00	60°	51.00	500	2000
39421	39428	8.00	60°	45.00	700	2800
31275	39429	8.00	60°	50.00	700	2800



TRIANGLE RING WITH CROSS BAR WELDED, SS304 OR SS316.


Part No. 304	Part No. 316	φ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39410	39413	5.00	5.00	46.00	41.00	325	1300
40170	40182	5.00	5.00	52.00	45.00	325	1300
40173	40185	6.00	4.00	46.00	53.00	500	2000
39411	39414	6.00	5.00	52.00	45.00	500	2000
40172	40184	8.00	5.00	46.00	41.00	700	2800
39412	39415	8.00	5.00	52.00	45.00	700	2800
40169	40181	8.00	6.00	61.00	54.00	700	2800



RING CATCH, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	φ E mm	φ F mm
39402	39406	47.90	7.40	4.40	2.60	37.80
39403	39407	52.30	7.60	6.00	3.20	41.50
39404	39408	53.60	8.60	7.90	3.40	41.40
39405	39409	52.20	10.70	10.60	3.60	44.00




BUCKLE RING, SS304 OR SS316.

Part No. 304	Part No. 316	ϕ mm	A mm	B mm
39431	39433	2.80	40.70	11.50
39430	39432	3.80	25.00	9.00




OBLONG RING, SS304 OR SS316.

Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm
39434	39435	2.80	13.50	19.20	10.00




BUCKLE RING, SS304 OR SS316.

Part No. 304	Part No. 316	ϕ mm	A mm	B mm
39436	39437	2.80	19.00	27.00




RING CATCH, SS304 OR SS316.

Part No. 304	Part No. 316	ϕ mm	A mm	B mm
39438	39440	6.00	42.00	30.00
39439	39441	8.00	51.00	35.00




HEAVY RING CATCH WITH SCREW PIN, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm
39452	39454	6.00	42.00	30.00
39453	39455	8.00	51.00	35.00

RING CATCH WITH PIN, SS304 OR SS316.



Part No. 304	Part No. 316	φ mm	A mm	B mm
39456	39458	6.00	42.00	30.00
39457	39459	8.00	51.00	35.00


SNAP S-HOOK, SS304 OR SS316.



Part No. 304	Part No. 316	φ mm	A mm	B mm	C mm	D mm
39442	39447	5.00	52.00	9.00	9.50	2.00
39443	39448	6.00	64.50	10.00	10.50	5.00
39444	39449	8.00	75.00	16.00	17.00	5.00
39445	39450	9.00	86.00	18.00	18.0	8.50
39446	39451	10.00	95.00	20.00	20.50	8.50

S-HOOK (OPEN END + NARROW END), SS304 OR SS316.


Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	D mm
39478	39480	5.00	52.00	9.00	9.50	2.00
19463	39481	6.00	64.50	10.00	10.50	5.00
19190	39482	8.00	75.00	16.00	17.00	5.00
19191	39483	9.00	86.00	18.00	18.0	8.50
39479	39484	10.00	95.00	20.00	20.50	8.50



S-HOOK WITH GATE (WIDE END + NARROW END), SS304 OR SS316.




Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm
39476	39477	8.00	78.00	18.00	18.50




S-HOOK, SS304 OR SS316.



Part No. 304	Part No. 316	ϕ mm	A mm	B mm	R mm
39460	39468	3.00	25.00	3.50	3.50
39461	39469	4.00	35.00	5.00	5.50
39462	39470	5.00	45.00	6.00	7.00
39463	39471	6.00	55.00	7.00	8.00
39464	39472	7.00	65.00	8.00	10.00
39465	39473	8.00	75.00	8.50	11.50
39466	39474	9.00	90.00	11.00	12.00
39467	39475	10.00	103.00	13.00	12.50




D-SHACKLE, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39485	6967	4.00	8.00	14.00	138	550
39486	6968	5.00	10.00	17.50	250	1000
39487	6969	6.00	13.00	21.00	425	1700
39488	39498	7.00	14.00	24.50	500	2000
39489	6970	8.00	16.00	28.00	625	2500
40174	40186	9.00	18.00	31.50	800	3200
39490	6971	10.00	20.00	35.00	1025	4100
39491	19196	12.00	25.00	42.00	1350	5400
40171	40183	13.00	26.00	45.50	1525	6100
40156	40164	14.00	28.00	49.00	1625	6500
39492	33702	16.00	32.00	56.00	2200	8800
39493	39499	19.00	35.00	66.50	2500	10000
39494	39500	22.00	43.00	77.00	4750	19000
39495	39501	25.00	47.00	87.50	5250	21000
39496	39502	28.00	52.00	98.00	5750	23000
39497	39503	32.00	64.00	112.00	6500	26000

ANCHOR SHACKLE, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39504	39517	4.00	8.00	18.00	15.00	138	550
39505	19200	5.00	10.00	23.00	17.00	300	1200
39506	19201	6.00	12.00	27.00	21.00	425	1700
39507	19202	8.00	16.00	37.00	28.00	625	2500
39508	19203	10.00	20.00	46.00	35.00	1075	4300
39509	19204	12.00	24.00	55.00	42.00	1550	6200
39510	39518	13.00	26.00	60.00	45.00	1585	6340
39511	39519	14.00	28.00	63.00	50.00	1625	6500
39512	39520	16.00	32.00	74.00	56.00	1750	7000
39513	39521	19.00	38.00	87.50	66.00	3500	14000
39514	39522	22.00	44.00	99.00	76.00	4250	17000
39515	39523	25.00	50.00	112.5	87.00	5000	20000
39516	39524	28.00	56.00	126.00	98.00	5750	23000

D-SHACKLE LONG TYPE, SS304 OR SS316.



Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39551	39557	4.00	8.00	30.00	175	700
39552	39558	5.00	10.00	37.50	313	1250
39553	19197	6.00	12.00	45.00	450	1800
39554	19198	8.00	16.00	60.00	688	2750
39555	19199	10.00	20.00	75.00	813	3250
39556	39559	12.00	24.00	90.00	1600	6400

D-SHACKLE (WITH SQUARE HEAD PIN), SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	SWL kgs	BL kgs
39525	39538	4.00	8.00	14.00	137.5	550
39526	39539	5.00	10.00	17.50	250	1000
39527	39540	6.00	12.00	21.00	425	1700
39528	39541	7.00	14.00	24.50	500	2000
39529	39542	8.00	16.00	28.00	625	2500
39530	39543	9.00	18.00	31.50	800	3200
39531	39544	10.00	20.00	35.00	1025	4100
39532	39545	12.00	24.00	42.00	1350	5400
39533	39546	13.00	26.00	45.50	1525	6100
39534	39547	16.00	32.00	56.00	2200	8800
39535	39548	19.00	38.00	66.50	4000	16000
39536	39549	22.00	44.00	77.00	4750	19000
39537	39550	25.00	50.00	87.50	5250	21000

D-SHACKLE (WITH SLOT SINK PIN), SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39560	39566	4.00	8.00	14.00	138	550
39561	39567	5.00	10.00	17.50	250	1000
39562	39568	6.00	12.00	21.00	425	1700
39563	39569	8.00	16.00	28.00	500	2000
39564	39570	10.00	20.00	35.00	625	2500
39565	39571	12.00	24.00	42.00	800	3200



D-SHACKLE (WITH HEXAGONAL SOCKET SINK PIN), SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	SWL kgs	BL kgs
40159	40167	5.00	10.00	17.50	250	1000
39572	39580	6.00	12.00	21.00	425	1700
39573	39581	8.00	16.00	28.00	625	2500
39574	39582	10.00	20.00	35.00	1025	4100
39575	39583	12.00	24.00	42.00	1350	5400
39576	39584	13.00	26.00	45.50	1525	6100
39577	39585	14.00	28.00	49.00	1625	6500
39578	39586	16.00	32.00	56.00	2200	8800
39579	39587	19.00	38.00	66.50	4000	16000
40158	40166	22.00	44.00	77.00	4750	19000



D-SHACKLE WIDE TYPE, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39588	39593	5.00	25.00	20.00	188	750
39589	39594	6.00	24.00	33.00	338	1350
39590	39595	8.00	28.00	31.00	625	2500
39591	39596	10.00	40.00	55.00	834	3350
39592	39597	12.00	48.00	66.00	1000	4000




ANCHOR (BOW) SHACKLE (WITH SQUARE HEAD PIN), SS304 OR SS316.

Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgS
39598	39611	8.00	4.00	18.00	15.00	138	550
39599	39612	10.00	5.00	23.00	17.00	300	1200
39600	39613	12.00	6.00	27.00	21.00	425	1700
39601	39614	16.00	8.00	37.00	28.00	625	2500
39602	39615	20.00	10.00	46.00	35.00	1075	4300
39603	39616	24.00	12.00	55.00	42.00	1550	6200
39604	39617	26.00	13.00	60.00	45.00	1585	6340
39605	39618	28.00	14.00	63.00	50.00	1625	6500
39606	39619	32.00	16.00	74.00	56.00	1750	7000
39607	39620	38.00	19.00	87.50	66.00	3500	14000
39608	39621	44.00	22.00	99.00	76.00	4250	17000
39609	39622	50.00	25.00	112.50	87.00	5000	20000
39610	39623	56.00	28.00	126.00	98.00	5000	20000




ANCHOR (BOW) SHACKLE (WITH HEXAGONAL SINK PIN), SS304 OR SS316.

Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39624	39637	4.00	8.00	18.00	138	550
39625	39638	5.00	10.00	23.00	300	1200
39626	39639	6.00	12.00	27.00	425	1700
39627	39640	8.00	16.00	37.00	625	2500
39628	39641	10.00	20.00	46.00	1075	4300
39629	39642	12.00	25.00	55.00	1550	6200
39630	39643	13.00	26.00	60.00	1585	6340
39631	39644	14.00	29.00	57.00	1625	6500
39632	39645	16.00	30.00	74.00	1750	7000
39633	39646	19.00	36.00	87.50	3500	14000
39634	39647	22.00	42.00	99.00	4250	17000
39635	39648	25.00	48.00	112.50	5000	20000
39636	39649	28.00	56.00	126.00	5000	20000




D-SHACKLE (WITH LOCKING PIN), SS304 OR SS316.



Part No. 304	Part No. 316	A mm	B mm	L mm	SWL kgs	BL kgs
40155	40163	3.50	8.00	14.00	137.5	550
39650	37650	4.43	10.00	17.50	250	1000
39651	37651	5.30	13.00	21.00	350	1400
40160	40168	6.30	14.00	24.50	500	2000
39652	37652	7.12	16.00	27.00	625	2500
40157	40165	8.12	18.00	31.50	800	3200
39653	37653	8.97	20.00	35.00	1000	4000
39654	39655	10.79	25.00	40.00	1350	5400
40154	40162	12.63	28.00	49.00	1625	6500
40640	40646	14.63	32.00	56.00	2200	8800

D-SHACKLE LONG TYPE (WITH LOCKING PIN), SS304 OR SS316.



Part No. 304	Part No. 316	ϕ mm	A mm	B mm	SWL kgs	BL kgs
40713	40720	4.00	8.00	30.00	175	700
39656	39661	4.40	10.00	37.50	313	1250
39657	39662	5.75	12.00	45.00	450	1800
39658	39663	7.00	16.00	60.00	688	2750
39659	39664	8.80	20.50	75.00	813	3250
39660	39665	11.80	26.00	90.00	1600	6400