



ANCHOR SHACKLE (LOCKING PIN), SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	L mm	SWL kgs	BL kgs
39678	39686	8.00	4.00	3.5.00	15.00	18.00	138	550
39679	39687	10.00	5.00	4.43	17.00	23.00	300	1200
39680	39688	12.00	6.00	5.30	21.00	27.00	425	1700
39681	39689	16.00	8.00	7.12	28.00	37.00	625	2500
39682	39690	20.00	10.00	9.00	35.00	46.00	1075	4300
39683	39691	24.00	12.00	10.80	42.00	55.00	1550	6200
39684	39692	28.00	14.00	12.60	50.00	63.00	1625	6500
39685	39693	32.00	16.00	14.60	56.00	74.00	1750	7000

D-SHACKLE, SS304 OR SS316.




Part No. 304	Part No. 316	φ 1 mm	φ 2 mm	A mm	B mm
39668	39674	7.90	6.90	17.00	26.50
39666	39672	11.90	11.80	28.50	44.00
39667	39673	25.50	23.00	49.00	88.50
39671	39677	5/16"	6.9	17.00	26.50
39670	39676	1/2"	11.80	28.50	44.00
39669	39675	1"	23.00	49.00	88.50

D-SHACKLE LIGHT TYPE, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgS
39694	39697	11.00	12.70	15.50	5.00	237	950
39695	39698	12.00	13.50	19.00	6.00	375	1500
39696	39699	18.00	16.60	25.00	8.00	650	2600

D-SHACKLE SEMI ROUND TYPE (WITH SINK SCREW PIN), SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgS
39700	39703	11.00	12.70	15.50	5.00	237	950
39701	39704	12.00	13.50	19.00	6.00	375	1500
39702	39705	18.00	16.60	25.00	8.00	650	2600

STAMPED-SHACKLE WITH SCREW PIN, LONG TYPE, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	C mm	SWL kgs	BL kgs
33705	39708	4.00	10.00	18.00	2.00	70	220
33707	39709	5.00	14.00	19.00	2.00	90	300
39706	39710	6.00	14.00	24.00	3.00	120	500
39707	39711	8.00	20.00	45.00	4.00	200	900

HEAD BOARD SHACKLE CROSS BAR AND LOCKING PIN, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	E mm	F mm	G mm	SWL kgs	BL kgS
39712	39716	25.50	16.00	46.50	6.00	11.25	49.00	M8	475	1900
39713	39717	34.00	16.00	76.00	8.00	19.00	49.00	M10	925	3700
39714	39718	42.50	20.10	77.30	9.80	18.75	49.00	M12	1300	5200
39715	39719	51.00	24.00	93.00	12.00	22.50	49.00	M14	1625	6500

HALYARD SHACKLE (WITH LOCKING PIN), SS304 OR SS316.





Part No. 304	Part No. 316	ϕ mm	A mm	B mm	SWL kgs	BL kgs
39726	39729	5.00	12.50	38.00	300	1200
39727	39730	6.00	15.50	43.00	400	1600
39728	39731	8.00	20.50	60.50	700	2800

HALYARD SHACKLE (WITH CROSS BAR & LOCKING PIN), SS304 OR SS316.



Part No. 304	Part No. 316	ϕ mm	A mm	B mm	SWL kgs	BL kgs
39720	39723	5.00	13.00	38.00	300	1200
39721	39724	6.00	16.00	43.00	400	1600
39722	39725	8.00	22.00	60.00	700	2800

TWIST SHACKLE, SS304 OR SS316.




Part No. 304	Part No. 316	φ mm	A mm	B mm	SWL kgs	BL kgs
39736	19205	4.00	8.00	20.00	167	665
39737	19206	5.00	10.00	25.00	275	1100
39738	19207	6.00	12.00	30.00	400	1600
39739	19208	8.00	16.00	36.00	700	2800
39740	19209	10.00	20.00	41.00	1150	4600
39741	39742	12.00	24.00	54.00	1500	6000

SHACKLE KEY, SS304 OR SS316.



Part No. 304	Part No. 316	A mm	B mm	C mm
39732	39733	5.00	2.50	100.00


SHACKLE KEY-CASTING, SS304 OR SS316.



Part No. 304	Part No. 316	A mm	B mm	C mm
39734	39735	5.00	85.50	45.80


SWIVEL EYE AND EYE, SS304 OR SS316.

Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39743	39754	4.00	11.50	13.00	50.00	113	450
39744	39755	5.00	13.00	14.00	60.00	163	650
39745	31265	6.00	14.50	15.50	66.50	300	1200
39746	31266	8.00	19.50	21.50	90.00	475	1900
39747	39756	9.00	20.50	23.50	100.00	750	3000
39748	31267	10.00	23.50	26.00	112.00	875	3500
39749	39757	13.00	33.00	33.50	148.50	1250	5000
39750	39758	16.00	38.00	42.50	186.00	2125	8500
39751	39759	19.00	40.50	51.00	223.00	2500	10000
39752	39760	22.00	48.50	61.00	258.00	2875	11500
39753	39761	25.00	65.00	73.00	290.00	3250	13000



SWIVEL EYE AND JAW, SS304 OR SS316.


Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39762	39768	6.00	11.00	12.00	60.00	300	1200
39763	39769	8.00	15.50	16.00	80.00	475	1900
39764	39770	10.00	20.50	20.00	103.00	875	3500
39765	39771	13.00	25.50	26.00	132.00	1250	5000
39766	39772	16.00	36.00	32.00	167.00	2125	8500
39767	39773	19.00	41.00	38.00	199.00	2500	10000



SWIVEL JAW AND JAW, SS304 OR SS316.




Part No. 304	Part No. 316	ϕ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39774	31269	6.00	11.00	12.00	65.00	300	1200
39775	31270	8.00	15.50	16.00	86.50	475	1900
39776	31271	10.00	20.50	20.00	111.00	875	3500
39777	39778	12.00	25.50	26.00	144.50	1250	5000
40801	40818	15.00	36.00	32.00	178.00	2125	8500
40805	40822	19.00	41.00	38.00	213.00	2500	10000



SWIVEL (EYE & JAW WITH INTERNAL HEXAGONAL PIN), SS304 OR SS316.


Part No. 304	Part No. 316	φ mm	A mm	B mm	C mm	SWL kgs	BL kgs
39779	39785	6.00	11.00	12.00	60.00	300	1200
39780	39786	8.00	15.00	16.00	80.00	475	1900
39781	39787	10.00	21.00	20.00	103.00	875	3500
39782	39788	13.00	26.00	28.00	132.00	1250	5000
39783	39789	16.00	36.00	32.00	167.00	2125	8500
39784	39790	19.00	41.00	38.00	199.00	2500	10000



SNAP SHACKLE FIXED EYE, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39803	39807	22.50	32.00	11.00	5.80	100	400
39804	39808	35.00	55.00	12.50	10.00	275	1100
39805	39809	45.00	70.00	20.00	14.00	500	2000
39806	39810	60.00	93.00	27.00	16.50	875	3500



SNAP SHACKLE WITH CASTED SWIVEL JAW, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39797	39800	33.00	12.00	12.00	73.00	275	1100
39798	39801	42.00	16.50	16.00	96.50	500	2000
39799	39802	58.00	20.00	22.00	127.00	875	3500



SNAP SHACKLE WITH FORGED SWIVEL JAW, SS304 OR SS316.

Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39791	39794	33.00	14.00	12.00	65.00	275	1100
39792	39795	42.00	13.50	16.00	86.50	500	2000
39793	39796	58.00	24.00	22.00	122.00	875	3500





SNAP SHACKLE WITH CASTING SWIVEL EYE, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39824	39827	33.00	12.00	12.00	69.00	275	1100
39825	39828	42.00	14.50	16.00	86.00	500	2000
39826	39829	58.00	20.00	22.00	122.00	875	3500

SNAP SHACKLE WITH ALUMINIUM END, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm
39830	39831	148.00	12.00	30.00	20.00	84.00	36.50	14.00	25.00	47.00

SWIVEL EYE BOLT SNAP, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	SWL kgs	BL kgs
39816	39822	10.50	63.50	7.00	45	180
39814	39821	12.50	88.00	13.00	63	250
39817	39823	15.80	90.00	13.00	163	650
39815	31288	19.00	93.00	13.00	163	650
39813	39820	25.40	100.00	13.00	150	600
39812	39819	28.60	119.00	17.00	150	600
39811	39818	31.75	123.00	17.00	125	500

SWIVEL ROUND EYE LEASH SNAP, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	SWL kgs	BL kgs
39842	39843	11.35	8.70	80.50	63	250

DOUBLE BOLT SNAP, SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39832	39833	90.00	9.00	10.50	9.40	45	180
39834	39835	105.50	9.50	11.00	10.00	88	350
39836	39837	121.50	9.50	12.50	13.00	90	360

TRIGGER SNAP (SWIVEL END), SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	SWL kgs	BL kgs
39838	39840	10.50	13.00	65.00	50	200
39839	39841	10.50	16.00	65.00	50	200

SWIVEL EYE SNAP, SS304 OR SS316.





Part No. 304	Part No. 316	A mm	B mm	C mm	SWL kgs	BL kgs
39852	39856	8.50	15.00	69.00	38	150
39853	39857	9.80	21.00	86.00	43	170
39854	39858	11.50	21.00	99.50	63	250
39855	39859	13.00	22.00	117.50	85	340

SWIVEL EYE SNAP, SS304 OR SS316.





Part No. 304	Part No. 316	A mm	B mm	C mm	D mm
39861	39864	56.80	11.00	12.30	8.60
39860	39863	70.00	11.50	14.50	11.00
39862	39865	83.00	13.70	17.50	13.60

RIGID EYE SNAP, SS304 OR SS316.





Part No. 304	Part No. 316	φ mm	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39844	39848	4.00	54.50	22.50	11.50	6.50	40	160
39845	39849	5.00	72.50	29.00	16.00	10.50	50	200
39846	39850	5.50	86.00	34.50	19.00	12.00	75	300
39847	39851	7.50	100.00	41.50	19.50	12.50	113	450

BULL SNAP (SWIVEL END), SS304 OR SS316.




Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	E mm	F mm
39872	39873	16.50	37.00	27.50	22.00	6.30	102.50

DOUBLE LOCKING SAFETY HOOK, SS304 OR SS316.



Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39870	39871	62.00	20.00	19.00	107.00	388	1550

RIGID EYE SNAP HOOK WITH SAFETY LATCH, SS304 OR SS316.



Part No. 304	Part No. 316	A mm	B mm	C mm	D mm	SWL kgs	BL kgs
39866	39868	19.00	33.50	100.00	20.50	188	750
39867	39869	28.00	44.50	115.00	23.00	250	1000